NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

Detailed Notice Inviting Tender

Tender is invited for below mentioned items / jobs:-

	· ·			
Sr.	Description of items / jobs	EMD to be	Start Date & Time	Expiry Date & Time
No.		deposited	of Bid Preparation	of Bid Preparation
		INR.	& Submission	& Submission
1.	Supply of HDPE rollers, metallic rollers and sugar	18,000/-	23.06.25 at 03:00	05.07.25 upto
	bag conveyor chain with slat		PM	03:00 PM
		1	l	1

Under this process, the Pre-qualification / Technical bid Application as well as Commercial Bid are invited at single stage under two covers i.e. Pre-qualification / Technical & Commercial Envelope. Eligibility and qualification of the Applicant will be first examined based on the details submitted under first envelope (Pre-qualification / Technical) with respect to eligibility and qualification criteria prescribed in this Tender document. The Commercial bid under the second envelope shall be opened for only those Applicants whose Pre-qualification / Technical bid Applications are responsive to eligibility and qualifications requirements as per Tender document.

• **Earnest Money:** The party will deposit the earnest money (mentioned above in table) by RTGS/NEFT before expiry date. The tender will not be accepted without earnest money.

• Bank details for Earnest Money:

Name: Naraingarh Sugar Mills Ltd.

Bank A/c No. 913020056279987

Bank Name: Axis Bank Ltd.

Branch Name: Banaundi BNU HR, Banaundi-134202

IFSC Code: UTIB0002249

Note: The bids shall be submitted in two separate envelopes.

Signature of the party with seal	
Name of the party:	
Address:	
Contact No	

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

• Envelope 1: Pre-Qualification / Technical Bid

	MATERIAL DESCRIPTION	Qty.
Sr.No.		
Α	HDPE Rollers	
1	HDPE ROLLERS	
	Shaft Length=500mm,	
	Shaft OD=25mm,Shell Length=430mm,	110 Nos.
	Shell OD=113mm,Slot size=14*20*25mm	
	(Slot width=14mm,Slot length=20mm,Slot Height=25mm (same as shaft OD))	
2	HDPE ROLLERS	
	Shaft Length=500mm,	
	Shaft OD=25mm,Shell Length=430mm,	50 Nos.
	Shell OD=125mm,Slot size=14*20*25mm	
	(Slot width=14mm,Slot length=20mm,Slot Height=25mm(same as shaft OD))	
3	HDPE ROLLERS	
	Shaft Length=270mm,	
	Shaft OD=20mm,Shell Length=200mm,	80 Nos.
	Shell OD=88mm,Slot size=14*14*20mm	
	(Slot width=14mm,Slot length=14mm,Slot Height=20mm(same as shaft OD))	
4	HDPE ROLLERS	
	Shaft Length=270mm,	20 N
	Shaft OD=20mm,Shell Length=200mm,	30 Nos.
	Shell OD=110mm, Slot size=14*14*20mm	
5	(Slot width=14mm,Slot length=14mm,Slot Height=20mm(same as shaft OD))	
5	HDPE ROLLERS Shaft Langth - 750mm	
	Shaft Length=750mm, Shaft OD=20mm,Shell Length=700mm,	20 Nos.
	Shell OD=88mm,Slot size=14*14*20mm	20 1105.
	(Slot width=14mm,Slot length=14mm,Slot Height=20mm(same as shaft OD))	
6	HDPE ROLLERS	
O	Shaft Length=415mm,	
	Shaft OD=20mm,Shell Length=380mm,	5 Nos.
	Shell OD=88mm,Slot size=14*14*20mm	3 1403.
	(Slot width=14mm,Slot length=14mm,Slot Height=20mm(same as shaft OD))	
В	Metallic Rollers	
1	METALLIC ROLLERS (For 1200mm belt)	
-	Shaft Length=1470mm,	
	Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,	10 Nos.
	Slot size=14*14*25mm	
	(Slot width=14mm,Slot length=14mm,Slot Height=25mm(same as shaft OD))	
2	METALLIC ROLLERS (for Sugar Belt Conveyor no.1,2,3)	
	Shaft Length=795mm	
	Shaft OD=20mm	30 Nos.
	Shell Length=700mm	
	Shell OD= 90mm	
3	METALLIC ROLLERS (for Melter Belt Conveyor)	
	Shaft Length=315mm	
	Shaft OD=20mm	10 Nos.
	Shell Length=275mm	
	Shell OD= 60mm	

vidth of slat 305mm 9 Mtr.
211001
ell OD=113mm, 2 Nos.
ell OD=88mm,
21 Nos.
ell OD=88mm,
7 Nos.
t)
13 1403.
15 Nos.
. CONVEYOR
t Conveyor)
25 NOS.
25 Nos.
Conveyor)
15 Nos.
elt Conveyor)
25 Nos.
elt Conveyor)
10 Nos.

• Bid shall be accepted on the basis of above mentioned specifications.

The bidders shall submit the required eligibility documents in the Pre-qualification / Technical Bid having following documents.

<u>Information / documents to be attached by the tenderers with the Pre-qualification / Technical Bid</u>
<u>where ever is applicable.</u>

- Copy of latest three year purchase / work order of firms / companies for the same type of materials /Jobs.
- Certificate of authorized dealership of particular material, if party is authorized.
 (For supplier only)
- 3) Certificate from the proprietor/partner/firm authorizing firm's representative to sign/participate in opening and negotiation of the tender (signature duly attested).
- 4) Copy of Sales Tax/GST registration number.

Address: ______

Contact No.

- 5) Copy of PAN Card.
- 6) The information i.e. Firm/Company Name, Complete Address, Contact person, Mobile No. & email ID to be attached.
- 7) EMD or RTGS/NEFT details.

In case of Non-attachment of the above (wherever is applicable) this bid shall be rejected.

Declaration:-	
We declare that we have put up the commercial bid as per format & no change	e in conditions has
been mentioned, the conditions mentioned there in are acceptable to us.	
	Please tick
Signature of the party with seal	
Name of the party:	

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

• Envelope 2: Commercial Bid

The bidders shall quote the prices in Commercial bid format under (COMMERCIAL BID TO BE SUBMIT)

	COMMERCIAL BID TO		Unit Rate INR.
Sr.	MATERIAL DESCRIPTION	Qty.	Ome nate nan.
No.	LIDDE Bollows		
Α	HDPE ROLLERS		
	HDPE ROLLERS Shaft Longth-F00mm		
1	Shaft Length=500mm,		
1	Shaft OD=25mm,Shell Length=430mm, Shell OD=113mm,Slot size=14*20*25mm	110 Nos	
	(Slot width=14mm,Slot length=20mm,Slot	110 Nos.	
	Height=25mm (same as shaft OD)		
	HDPE ROLLERS		
	Shaft Length=500mm,		
	Shaft OD=25mm,Shell Length=430mm,		
2	Shell OD=125mm,Slot size=14*20*25mm	50 Nos.	
2	(Slot width=14mm,Slot length=20mm,Slot	JU 1405.	
	Height=25mm(same as shaft OD))		
	HDPE ROLLERS		
	Shaft Length=270mm,		
	Shaft OD=20mm,Shell Length=200mm,		
3	Shell OD=88mm,Slot size=14*14*20mm	80 Nos.	
3	(Slot width=14mm,Slot length=14mm,Slot	60 NO3.	
	Height=20mm(same as shaft OD))		
	HDPE ROLLERS		
	Shaft Length=270mm,		
	Shaft OD=20mm,Shell Length=200mm,		
4	Shell OD=110mm,Slot size=14*14*20mm	30 Nos.	
4	(Slot width=14mm,Slot length=14mm,Slot	30 1103.	
	Height=20mm(same as shaft OD))		
	HDPE ROLLERS		
	Shaft Length=750mm,		
	Shaft OD=20mm,Shell Length=700mm,		
5	Shell OD=88mm,Slot size=14*14*20mm	20 Nos.	
	(Slot width=14mm,Slot length=14mm,Slot		
	Height=20mm(same as shaft OD))		
	HDPE ROLLERS		
	Shaft Length=415mm,		
	Shaft OD=20mm,Shell Length=380mm,		
6	Shell OD=88mm,Slot size=14*14*20mm	5 Nos.	
	(Slot width=14mm,Slot length=14mm,Slot		
	Height=20mm(same as shaft OD))		
В	Metallic Rollers		
	METALLIC ROLLERS (For 1200mm belt)		
	Shaft Length=1470mm,		
	Shaft OD=25mm,Shell Length=1300mm,Shell		
1	OD=88mm,Slot size=14*14*25mm	10 Nos.	
	(Slot width=14mm,Slot length=14mm,Slot		
	Height=25mm(same as shaft OD))		

METALLIC ROLLERS (for Sugar Belt Conveyor no.1,2,3) 2 Shaft Length=795mm Shell Length=700mm Shell Length=270mm Shell Length=315mm 3 Shaft OD=20mm Shell Length=275mm Shell Length=2275mm Shell Lope 60mm METALLIC ROLLERS (for Melter Belt Conveyor) Shaft Length=225mm Shell Lope 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=605mm Shell Length=605mm Shell Length=605mm Shaft OD=20mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shaft OD=00mm Please mention all rates of spares METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm, Shell Length=1300mm, Shell OD=98mm, Slot size=14*14*25mm			ī	
Shaft OD=20mm Shell Length=700mm Shell Lop =90mm METALLIC ROLLERS (for Melter Belt Conveyor) Shaft Length=315mm Shall OD=20mm Shell Length=275mm Shell OD=60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=225mm 10 Nos. Shaft Length=225mm 10 Nos. Shaft Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shaft OD=20mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shaft OD=20mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=230mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm Please mention all rates of spares METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Shell Length=700mm Shell OD= 90mm METALLIC ROLLERS (for Melter Belt Conveyor) Shaft Length=315mm Shell Length=275mm Shell OD= 60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=185mm Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=250mm Shell Length=715mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=605mm Shell Length=605mm Shell Length=230mm Shell Length=230mm Shell Length=230mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=2745mm Shell OD=90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm 15 Nos. Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shell OD=95mm, Shell OD=25mm,Shell Length=1300mm,Shell OD=88mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,	2	Shaft Length=795mm	30 Nos.	
Shell OD= 90mm METALLIC ROLLERS (for Melter Belt Conveyor) Shaft Length=315mm Shaft OD=20mm Shell Length=275mm Shell DD= 60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=125mm 10 Nos. Shell Length=125mm Shell OD=00mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=290mm Shaft OD=20mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=250mm Shell Length=605mm Shell DD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=605mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=285mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) Please mention all rates of spares		Shaft OD=20mm		
Shell OD= 90mm METALLIC ROLLERS (for Melter Belt Conveyor) Shaft Length=315mm Shaft OD=20mm Shell Length=275mm Shell DD= 60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=125mm 10 Nos. Shell Length=125mm Shell OD=00mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=290mm Shaft OD=20mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=250mm Shell Length=605mm Shell DD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=605mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=285mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) Please mention all rates of spares		Shell Length=700mm		
Shaft Length=315mm Shaft OD=20mm Shell Length=275mm Shell OD=60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=290mm Shell Length=290mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=715mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shaft Length=605mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shaft OD=20mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=147mm Shell OD=90mm Please mention all rates of spares METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		=		
Shaft Length=315mm Shaft OD=20mm Shell Length=275mm Shell OD=60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=290mm Shell Length=290mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=715mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shaft Length=605mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=715mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shaft OD=20mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=147mm Shell OD=90mm Please mention all rates of spares METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,				
3 Shaft OD=20mm Shell Length=275mm Shell OD=60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=290mm Shaft OD=20mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Conveyor) Shaft OD=20mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm To Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,				
Shell Length=275mm Shell OD=60mm METALLIC ROLLERS(for Seed Belt Conveyor) Shaft Length=225mm 4 Shaft OD=20mm Shell Length=185mm Shell OD=60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=250mm Shell DD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shaft OD=20mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=745mm Shell OD=90mm To Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS METALLIC ROLLERS To Nos. Please mention all rates of spares Please mention all rates of spares	2		10 Nos	
Shell OD= 60mm METALLIC ROLLERS (for Seed Belt Conveyor) Shaft Length=225mm 4 Shaft OD=20mm Shell Length=185mm Shell I Conveyor) Shaft Length=290mm 5 Shaft OD=20mm Shaft OD=20mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=250mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shaft OD=20mm Shell Length=175mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=45mm Shell OD=90mm 15 Nos. Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) Please mention all rates of spares	3		10 1103.	
METALLIC ROLLERS (for Seed Belt Conveyor) Shaft Length=225mm Shaft OD=20mm Shell Length=185mm Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shaft OD=90mm Shell Length=250mm Shell Length=250mm Shell Length=250mm Shell Length=715mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=605mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=75mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shell Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) Please mention all rates of spares Please mention all rates of spares				
Shaft Length=225mm 10 Nos. Shaft OD=20mm 10 Nos. Shell Length=185mm Shell DD=60mm 10 Nos. Shell Length=250mm Shaft Conveyor) Shaft Length=290mm 25 Nos. Shell Length=250mm Shell OD=90mm 25 Nos. Shell Length=250mm Shell OD=90mm Shell OD=90mm Shell OD=90mm 15 Nos. Shell Length=715mm Shaft OD=20mm Shell OD=90mm 15 Nos. Shell Length=605mm 15 Nos. Shell Length=230mm Shaft OD=20mm Shaft Length=75mm 25 Nos. Shell Length=175mm 25 Nos. Shell Length=175mm 25 Nos. Shell Length=175mm 25 Nos. Shell Length=175mm Shell OD=90mm 15 Nos. Shell Length=745mm Shell OD=90mm 15 Nos. Shell Length=745mm Shaft OD=20mm Shaft Length=745mm Shaft OD=20mm Shaft OD=20mm Shaft OD=20mm Shaft OD=25mm, Shell Constant of the properties of spares Please mention all rates of spares Please mention all rates of spares OD=88mm, Shaft OD=25mm, Shell Length=1300mm, Shell OD=88mm,				
4 Shaft OD=20mm Shell Length=185mm Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shaft OD=20mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=715mm Shaft OD=20mm 6 Shell Length=605mm Shell I Length=605mm Shaft OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=90mm 7 Shell Length=175mm Shell OD=90mm 8 Shaft OD=20mm The Interval of Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=1745mm Shell OD=90mm 15 Nos. Please mention all rates of spares Shaft OD=25mm, Shell Length=1300mm, Shell OD=88mm,				
Shell Length=185mm Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shaft OD=20mm Shell Length=250mm Shell Length=250mm Shell Length=715mm Shaft OD=20mm Shaft Length=715mm Shaft OD=20mm 6 Shell Length=605mm Shell OD= 90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm 7 Shell Length=775mm Shaft OD=20mm 8 Shell Length=775mm Shell OD=90mm 15 Nos. Shell Length=745mm Shaft OD=20mm Shaft Length=885mm Shaft OD=20mm 8 Shaft OD=20mm Shaft Length=885mm Shaft OD=90mm 15 Nos. Shaft Length=745mm Shell OD=90mm 15 Nos. Shaft Length=745mm Shell OD=90mm 15 Nos. Shaft Length=745mm Shell OD=90mm 15 Nos. Shaft OD=25mm, Shell Length=1300mm, Shell OD=88mm,		_	40.1	
Shell OD= 60mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm Shell Length=250mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=275mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shell Length=885mm Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft OD=25mm, Shell Length=1300mm, Shell OD=88mm,	4		10 Nos.	
METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=290mm				
Conveyor				
Shaft Length=290mm Shalt OD=20mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft DD=20mm Shell Length=605mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shaft OD=20mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares		METALLIC ROLLERS (for Filter no.1,2 Mud Belt		
Shaft OD=20mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm 6 Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm 7 Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		Conveyor)		
Shaft OD=20mm Shell Length=250mm Shell OD=90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm 6 Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm 7 Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm 15 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		Shaft Length=290mm		
Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shaft Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,	5	Shaft OD=20mm	25 Nos.	
Shell OD= 90mm METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD=90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shaft Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		Shell Length=250mm		
METALLIC ROLLERS (for Filter no.1,2 Mud Belt Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD=90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shell OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Conveyor) Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm The Shell Length=175mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shaft Length=745mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shell OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Shaft Length=715mm Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor)		·		
Shaft OD=20mm Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor)				
6 Shell Length=605mm Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm 7 Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Shell OD= 90mm METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares			45 No.	
METALLIC ROLLERS(for Filter no.3 Mud Belt Conveyor) Shaft Length=230mm Shaft OD=20mm 7 Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares	Ь		15 NOS.	
Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares		Shell OD= 90mm		
Shaft Length=230mm Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Shaft OD=20mm Shell Length=175mm Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
7 Shell Length=175mm Shell OD= 90mm 25 Nos. METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
Shell OD= 90mm METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor) Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares	7	Shell Length=175mm	25 Nos.	
Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Shaft Length=1300mm,Shell		Shell OD= 90mm		
Shaft Length=885mm Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Shaft Length=1300mm,Shell				
8 Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, 15 Nos. Please mention all rates of spares		METALLIC ROLLERS (for Filter no.3 Mud Belt Conveyor)		
8 Shaft OD=20mm Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, 15 Nos. Please mention all rates of spares		Shaft Length=885mm		
Shell Length=745mm Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shell OD=25mm,Shell Length=1300mm,Shell OD=88mm, 7 Nos. rates of spares	8		15 Nos.	
Shell OD= 90mm C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Shell OD=90mm Please mention all rates of spares				
C Repair of Metallic Rollers (For 1200mm belt) METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares				
METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm, Please mention all rates of spares	-			
Shaft Length=1470mm, 7 Nos. rates of spares Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		Topas of motions trong to a 2200 mm well,		
Shaft Length=1470mm, 7 Nos. rates of spares Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,				
Shaft Length=1470mm, 7 Nos. rates of spares Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,		METALLIC ROLLERS		Please mention all
Shaft OD=25mm,Shell Length=1300mm,Shell OD=88mm,	1		7 Noc	
OD=88mm,	1		/ NOS.	rates of spares
SIOT SIZE=14*14*25mm				
		Siot size=14*14*25mm		

2	METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=20mm,Shell Length=1300mm,Shell OD=88mm, Slot size=14*14*20mm	21 Nos.	Please mention all rates of spares
3	METALLIC ROLLERS Shaft Length=1470mm, Shaft OD=25mm,Shell Length=1300mm,Shell OD=113mm, Slot size=14*14*25mm	2 Nos.	Please mention all rates of spares
D	Conveyor Chain with slats fitted assembly width of slat 305mm Application: Sugar bag conveyor	9 Mtr.	

Terms & Conditions:-

- 1) Payment terms:
 - a) For material supply: 30 days after receipt of material subjected to quality approved.
 - b) For job work: 30 days after submission of verified bills subjected to satisfactory completion of work.
- 2) Price will be FOR Naraingarh Sugar Mills Ltd.
- 3) Packing & forwarding charges: In the scope of supplier / Contractor.
- 4) Please mention the time period of material delivery / job completion in given space under:-

5) SGST/CGST/UGST/IGST will be extra as applicable as per norms (Our GST

- No.06AAACN0454G1ZV).
- 6) TDS to be deducted as per GST Rules (if applicable).
- 7) It will be mandatory condition, that no employee/his family member / relative can take participate directly or indirectly in BID.
- 8) Presence of BIDDER by self in case of proprietor/ Partner or Authorized person with authority letter in case of partnership/Co. is necessary at the time of opening of tender is must.

- 9) **Liquidated Damages:** Time is the essence of this supply / job. Hence, you shall strictly adhere to the delivery of material / completion of job. You are liable to pay liquidated damages towards late delivery of the material / late completion of job at the rate of 2% of the value of the order for subject supply / job for the delay of every one week subject to the maximum limit of 10% of the value of the Order.
- 10) If at all L-1 party refuses to undertake the job, then purchase committee shall have the right to award the order to second lowest party on the finalized rates in the interest of the Mills.
- 11) Board/Management of the Mills shall have the right to negotiate with other participants also if quoted rates of L-1, L-2 & L-3 party do not seem to be reasonable upto the marks in the interest of the Mills.
- 12) Rates are to be quoted on the basis of above said terms & conditions.
- 13) Conditional tender will not be accepted.
- 14) The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason.

Note: Only Pre-qualification / Technical bid will be open by our technical team for discussion. Parties are invited on opening of commercial bid on dated 08.07.25 at 11:00 AM.

Signature of the party with seal	_
Name of the party:	
Address:	
Contact No.	