

# **NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH**

## **Detailed Notice Inviting Tender**

Tender is invited for below mentioned items / jobs:-

| Sr. No. | Description of items / jobs | EMD to be deposited INR. | Start Date & Time of Bid Preparation & Submission | Expiry Date & Time of Bid Preparation & Submission |
|---------|-----------------------------|--------------------------|---------------------------------------------------|----------------------------------------------------|
| 1.      | Supply of fasteners         | 20,000/-                 | 23.06.25 at 03:00 PM                              | 05.07.25 upto 03:00 PM                             |

Under this process, the Pre-qualification / Technical bid Application as well as Commercial Bid are invited at single stage under two covers i.e. Pre-qualification / Technical & Commercial Envelope. Eligibility and qualification of the Applicant will be first examined based on the details submitted under first envelope (Pre-qualification / Technical) with respect to eligibility and qualification criteria prescribed in this Tender document. The Commercial bid under the second envelope shall be opened for only those Applicants whose Pre-qualification / Technical bid Applications are responsive to eligibility and qualifications requirements as per Tender document.

- **Earnest Money:** The party will deposit the earnest money (mentioned above in table) by RTGS/NEFT before expiry date. The tender will not be accepted without earnest money.
- **Bank details for Earnest Money:**  
Name: Naraingarh Sugar Mills Ltd.  
Bank A/c No. 913020056279987  
Bank Name: Axis Bank Ltd.  
Branch Name: Banaundi BNU HR, Banaundi-134202  
IFSC Code: UTIB0002249

**Note:** The bids shall be submitted in two separate envelopes.

**Signature of the party with seal**

**Name of the party:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact No.** \_\_\_\_\_

**NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH**

• **Envelope 1: Pre-Qualification / Technical Bid**

| <b>Sr. No.</b> | <b>Description</b>                                                     | <b>Qty.</b> |
|----------------|------------------------------------------------------------------------|-------------|
| <b>A</b>       | <b>M.S. (BSW) Hexagonal head bolt full thread Superior quality</b>     | <b>Kg</b>   |
| 1              | Size: 1/4" x 1 1/2" Long                                               | 5           |
| 2              | 5/16" x 1" Long                                                        | 4           |
| 3              | 5/16" x 1.5" Long                                                      | 5           |
| 4              | 5/16" x 2" Long                                                        | 10          |
| 5              | 3/8" x 1.5" Long                                                       | 10          |
| 6              | 3/8" x 2" Long                                                         | 50          |
| 7              | 3/8" x 2 1/2" Long                                                     | 5           |
| 8              | 3/8" x 3" Long                                                         | 15          |
| 9              | 1/2" x 1 1/2" Long                                                     | 550         |
| 10             | 1/2" x 2" Long                                                         | 100         |
| 11             | 1/2" x 2 1/2" Long                                                     | 50          |
| 12             | 1/2" x 3" Long                                                         | 50          |
| 13             | 1/2" x 4" Long                                                         | 50          |
| 14             | 1/2" x 8" Long                                                         | 5           |
| 15             | 5/8" x 2" Long                                                         | 330         |
| 16             | 5/8" x 2 1/2" Long                                                     | 450         |
| 17             | 5/8" x 3" Long                                                         | 100         |
| 18             | 5/8" x 4" Long                                                         | 80          |
| 19             | 5/8" x 6" Long                                                         | 10          |
| 20             | 3/4" x 2" Long                                                         | 20          |
| 21             | 3/4" x 2 1/2" Long                                                     | 100         |
| 22             | 3/4" x 3" Long                                                         | 150         |
| 23             | 3/4" x 5" Long                                                         | 10          |
| 24             | 3/4" x 6" Long                                                         | 10          |
| 25             | 1" x 4" Long                                                           | 20          |
| 26             | 1" x 5" Long                                                           | 10          |
| <b>B</b>       | <b>M.S. Nut (BSW) Hexagonal head Superior quality</b>                  | <b>Kg</b>   |
| 1              | 3/8"                                                                   | 10          |
| 2              | 1/2"                                                                   | 150         |
| 3              | 5/8"                                                                   | 250         |
| 4              | 3/4"                                                                   | 100         |
| <b>C</b>       | <b>M.S. Plain Washer Superior quality</b>                              | <b>Kg</b>   |
| 1              | Size: 1/4"                                                             | 8           |
| 2              | 3/8"                                                                   | 50          |
| 3              | 1/2"                                                                   | 50          |
| 4              | 5/8"                                                                   | 100         |
| 5              | 3/4"                                                                   | 50          |
| <b>D</b>       | <b>M.S. Hexagonal Head bolt full thread(M M Size) Superior quality</b> | <b>Nos.</b> |
| 1              | Size: M 6 x 25mm LG                                                    | 70          |
| 2              | Size: M 6 x 30mm LG                                                    | 10          |
| 3              | M 8 x 25 mm LG                                                         | 100         |
| 4              | M 8 x 30 mm LG                                                         | 28          |
| 5              | M 8 X 35 mm LG                                                         | 28          |
| 6              | M 8 X 40 mm LG                                                         | 150         |
| 7              | M 8 X 50 mm LG                                                         | 45          |

|          |                                                          |             |
|----------|----------------------------------------------------------|-------------|
| 8        | M 10 X 30 mm LG                                          | 60          |
| 9        | M 10 X 35 mm LG                                          | 80          |
| 10       | M 10 X 40 mm LG                                          | 10          |
| 11       | M 10 X 50 mm LG                                          | 70          |
| 12       | M 10 x 80 mm LG                                          | 10          |
| 13       | M 12 x 45 mm LG                                          | 20          |
| 14       | M 12 x 50 mm LG                                          | 100         |
| 15       | M 12 x 60 mm LG                                          | 70          |
| 16       | M 12 x 65 mm LG                                          | 100         |
| 17       | M 12 x 80 mm LG                                          | 40          |
| 18       | M 16 x 65 mm LG                                          | 20          |
| 19       | M 16 x 80 mm LG                                          | 20          |
| 20       | M 16 x 120 mm LG                                         | 20          |
| <b>E</b> | <b>M.S. Hexagonal Head Nut</b>                           | <b>Nos.</b> |
| 1        | Size: M 8                                                | 200         |
| 2        | M 10                                                     | 250         |
| 3        | M 12                                                     | 540         |
| 4        | M 16                                                     | 130         |
| <b>F</b> | <b>M.S. Stud</b>                                         | <b>Nos.</b> |
| 1        | M 10 x 50 mm LG                                          | 20          |
| 2        | M 10 x 65 mm LG                                          | 25          |
| 3        | M 10 x 80 mm LG                                          | 20          |
| 4        | M 12 x 50 mm LG                                          | 100         |
| 5        | M 12 x 65 mm LG                                          | 100         |
| 6        | M 12 x 70 mm LG                                          | 30          |
| 7        | M 12 x 80 mm LG                                          | 20          |
| 8        | M 12 x 100 mm LG                                         | 20          |
| 9        | M 12 x 125 mm LG                                         | 20          |
| 10       | M 16 x 65 mm LG                                          | 30          |
| 11       | M 16 x 75 mm LG                                          | 20          |
| 12       | M 20 x 90 mm LG                                          | 30          |
| 13       | M 20 x 65 mm LG                                          | 50          |
| <b>G</b> | <b>M.S. Stud (BSW Thread)</b>                            | <b>Nos.</b> |
| 1        | Size: 1/4" x 2 "LG                                       | 10          |
| 2        | Size: 5/8" x 4" LG                                       | 10          |
| 3        | Size: 5/8" x 2.5" LG                                     | 100         |
| 4        | 3/4" x 3" LG                                             | 15          |
| 5        | 3/4" x 5" LG                                             | 40          |
| <b>H</b> | <b>Spring Washer</b>                                     | <b>Nos.</b> |
| 1        | Size: M 10                                               | 200         |
| 2        | M16                                                      | 80          |
| 2        | ½"                                                       | 8000        |
| <b>I</b> | <b>H.T. CSK allen key bolt M 12 X 25</b>                 | 1000 Nos.   |
| <b>J</b> | <b>S.S. 304 Hexagonal Head Bolts (MM Size) Make: APL</b> | <b>Nos.</b> |
| 1        | Size: M6 x 20 mm LG                                      | 320         |
| 2        | Size: M6 x 25 mm LG                                      | 50          |
| 3        | M8 x 30 mm LG                                            | 100         |
| 4        | M8 x 25 mm LG                                            | 20          |
| 5        | M8 x 12 mm LG                                            | 40          |
| 6        | M10 x 30 mm LG                                           | 200         |

|          |                                                          |             |
|----------|----------------------------------------------------------|-------------|
| 7        | M10 x 65mm LG                                            | 20          |
| 8        | M10 x 125mm LG                                           | 20          |
| 9        | M10 x 200 mm LG                                          | 20          |
| 10       | M12 x 30 mm LG                                           | 500         |
| 13       | M12 x 80 mm LG                                           | 10          |
| 14       | M12 x 100 mm LG                                          | 20          |
| 15       | M16 x 125 mm LG                                          | 50          |
| 16       | M20 x 60 mm LG                                           | 40          |
| 17       | M20 x 100 mm LG                                          | 25          |
| <b>K</b> | <b>S.S. 304 Grub Screw</b>                               | <b>Nos.</b> |
| 1        | Size: M16 x 20 mm LG                                     | 30          |
| <b>L</b> | <b>S.S. 304 Hexagonal Head Nut (MM Size) Make: APL</b>   | <b>Nos.</b> |
| 1        | M 6                                                      | 100         |
| 2        | M 8                                                      | 50          |
| 3        | M 10                                                     | 200         |
| 4        | M 12                                                     | 260         |
| 5        | M 16                                                     | 60          |
| 6        | M 20                                                     | 50          |
| <b>M</b> | <b>S.S. 304 Hexagonal Head Bolt (BSW Size) Make: APL</b> | <b>Nos.</b> |
| 1        | Size: 1/2" x 4" LG                                       | 30          |
| 2        | 3/8" x 2 1/2" LG                                         | 20          |
| <b>N</b> | <b>S.S 304 Hexagonal Head Nut (BSW Size) Make: APL</b>   | <b>Nos.</b> |
| 1        | 3/8"                                                     | 40          |
| 2        | 1/2"                                                     | 50          |
| <b>O</b> | <b>S.S. 304 Allen Bolt</b>                               | <b>Nos.</b> |
| 1        | M12 x 30 mm LG                                           | 50          |
| 2        | M12 x 35 mm LG                                           | 50          |
| 3        | M12 x 40 mm LG                                           | 20          |
| 4        | M12 x 90 mm LG                                           | 10          |
| 5        | M20 x 60 mm LG                                           | 30          |
| <b>P</b> | <b>High Tensile Hexagonal Head Bolts Make: Unbrako</b>   | <b>Nos.</b> |
| 1        | M8 x 30 mm LG                                            | 40          |
| 2        | M10 x 40 mm LG                                           | 70          |
| 3        | M10 x 50 mm LG                                           | 50          |
| 4        | M12 x 25 mm LG                                           | 10          |
| 5        | M12 x 30 mm LG                                           | 100         |
| 6        | M12 x 35 mm LG                                           | 100         |
| 7        | M12 x 40 mm LG                                           | 50          |
| 8        | M12 x 50 mm LG                                           | 50          |
| 9        | M12 x 80 mm LG                                           | 40          |
| 10       | M12x 100 mm LG                                           | 10          |
| 11       | M16x 185 mm LG                                           | 20          |
| 12       | M20x 60 mm LG                                            | 10          |
| 13       | M20x 65 mm LG                                            | 20          |
| 14       | M20x 100 mm LG                                           | 20          |
| 15       | M30x 90 mm LG                                            | 150         |
| <b>Q</b> | <b>High Tensile Stud<br/>Make: Unbrako</b>               | <b>Nos.</b> |
| 1        | Size: M16 x 75 mm LG                                     | 40          |
| 2        | M20 x 75 mm LG                                           | 30          |

|           |                                                                                                                  |             |
|-----------|------------------------------------------------------------------------------------------------------------------|-------------|
| 3         | BSW 3/4" x 5" LG                                                                                                 | 10          |
| <b>R</b>  | <b>High Tensile Hexagonal Head Nut</b>                                                                           | <b>Nos.</b> |
| 1         | M8                                                                                                               | 30          |
| 2         | M10                                                                                                              | 50          |
| 3         | M12                                                                                                              | 100         |
| 4         | M16                                                                                                              | 100         |
| 5         | M20                                                                                                              | 60          |
| <b>S</b>  | <b>High Tensile Hexagonal Head Bolt Make: Unbrako</b>                                                            | <b>Nos.</b> |
| 1         | BSW 3/8" x 1" LG                                                                                                 | 30          |
| 2         | BSW 5/16 x 1 1/4" LG                                                                                             | 10          |
| 3         | BSW 5/8 x 1 1/2" LG                                                                                              | 10          |
| 4         | BSW 1 x 5 1/2" LG                                                                                                | 150         |
| <b>T</b>  | <b>High Tensile Allen Bolt Make: Unbrako</b>                                                                     | <b>Nos.</b> |
| 1         | Size: BSW 1/2" x 1" LG                                                                                           | 30          |
| <b>U</b>  | <b>H.T. HEX HEAD BOLT GRADE-10.9 Full Thread Make-UNBRAKO</b>                                                    | <b>Nos.</b> |
| 1         | M8 x 300mm Grade-10.9 Full Thread                                                                                | 5           |
| 2         | Size=3/4" x 3.5" Grade-10.9 Full Thread                                                                          | 20          |
| <b>V</b>  | <b>H.T. STUD Grade-10.9 Full Thread Make-UNBRAKO</b>                                                             | <b>Nos.</b> |
| 1         | M12 x 300mm Grade-10.9 Full Thread                                                                               | 10          |
| 2         | M10 x 300mm Grade-10.9 Full Thread                                                                               | 10          |
| 3         | M16 x 90mm Grade-10.9 Full Thread                                                                                | 10          |
| 4         | Size=3/8" x 12" Grade-10.9 Full Thread                                                                           | 10          |
| 5         | Size=1/2" x 12" Grade-10.9 Full Thread                                                                           | 10          |
| 6         | Size=5/8" x 12" Grade-10.9 Full Thread                                                                           | 10          |
| 7         | Size=7/8" x 7" Grade-10.9 Full Thread                                                                            | 20          |
| <b>W</b>  | <b>H.T. HEX NUT Grade-10.9 Make-UNBRAKO</b>                                                                      | <b>Nos.</b> |
| 1         | Size=3/8"                                                                                                        | 40          |
| 2         | Size=1/2"                                                                                                        | 30          |
| 3         | Size=5/8"                                                                                                        | 10          |
| 4         | Size=3/4"                                                                                                        | 40          |
| 5         | Size=7/8"                                                                                                        | 40          |
| <b>X</b>  | <b>NYLOCK NUT</b>                                                                                                | <b>Nos.</b> |
| 1         | BSW 1/2"                                                                                                         | 9000        |
| 2         | BSW 1"                                                                                                           | 150         |
| <b>Y</b>  | <b>S.S. U-BOLT Material- SS 304</b>                                                                              | <b>Nos.</b> |
| 1         | SIZE=1 1/4" (Nominal Pipe Size) , Between Centre= 54mm, Thread Size= 10mm , Depth of U= 67mm, Thread Length=30mm | 50          |
| <b>Z</b>  | <b>M.S. Split Pin</b>                                                                                            | <b>Nos.</b> |
| 1         | Size: 1/4" X 2" Long                                                                                             | 2000        |
| 2         | Size: 5/16" X 2" Long                                                                                            | 2000        |
| <b>AA</b> | <b>Split Pin (SS-202)</b>                                                                                        | <b>Nos.</b> |
| 1         | Size: 1/4" X 2" Long                                                                                             | 3000        |
| <b>BB</b> | <b>CSK MS Bolt</b>                                                                                               | <b>Nos.</b> |
| 1         | Size= 3/4" x 7" Long BSW                                                                                         | 30          |
| <b>CC</b> | <b>M.S. Rivet</b>                                                                                                | <b>Kg</b>   |
| 1         | Size= Dia. 12 x 30mm Long                                                                                        | 5           |

- **Bid shall be accepted on the basis of above mentioned specifications.**

The bidders shall submit the required eligibility documents in the Pre-qualification / Technical Bid having following documents.

**Information /documents to be attached by the tenderers with the Pre-qualification / Technical Bid where ever is applicable.**

- 1) Copy of latest three year purchase / work order of firms / companies for the same type of materials /Jobs.
- 2) Certificate of authorized dealership of particular material, if party is authorized.  
(For supplier only)
- 3) Certificate from the proprietor/partner/firm authorizing firm's representative to sign/participate in opening and negotiation of the tender (signature duly attested).
- 4) Copy of Sales Tax/GST registration number.
- 5) Copy of PAN Card.
- 6) The information i.e. Firm/Company Name, Complete Address, Contact person, Mobile No. & e-mail ID to be attached.
- 7) EMD or RTGS/NEFT details.

**In case of Non-attachment of the above (wherever is applicable) this bid shall be rejected.**

---

**Declaration:-**

We declare that we have put up the commercial bid as per format & no change in conditions has been mentioned, the conditions mentioned there in are acceptable to us.



**Please tick**

---

**Signature of the party with seal**

**Name of the party:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact No.** \_\_\_\_\_

**NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH**

• **Envelope 2: Commercial Bid**

The bidders shall quote the prices in Commercial bid format under  
**(COMMERCIAL BID TO BE SUBMIT)**

| Sr. No.  | Description                                                        | Qty.      | Unit Rates INR. |
|----------|--------------------------------------------------------------------|-----------|-----------------|
| <b>A</b> | <b>M.S. (BSW) Hexagonal head bolt full thread Superior quality</b> | <b>Kg</b> |                 |
| 1        | Size: 1/4" x 1 1/2" Long                                           | 5         |                 |
| 2        | 5/16" x 1" Long                                                    | 4         |                 |
| 3        | 5/16" x 1.5" Long                                                  | 5         |                 |
| 4        | 5/16" x 2" Long                                                    | 10        |                 |
| 5        | 3/8" x 1.5" Long                                                   | 10        |                 |
| 6        | 3/8" x 2" Long                                                     | 50        |                 |
| 7        | 3/8" x 2 1/2" Long                                                 | 5         |                 |
| 8        | 3/8" x 3" Long                                                     | 15        |                 |
| 9        | 1/2" x 1 1/2" Long                                                 | 550       |                 |
| 10       | 1/2" x 2" Long                                                     | 100       |                 |
| 11       | 1/2" x 2 1/2" Long                                                 | 50        |                 |
| 12       | 1/2" x 3" Long                                                     | 50        |                 |
| 13       | 1/2" x 4" Long                                                     | 50        |                 |
| 14       | 1/2" x 8" Long                                                     | 5         |                 |
| 15       | 5/8" x 2" Long                                                     | 330       |                 |
| 16       | 5/8" x 2 1/2" Long                                                 | 450       |                 |
| 17       | 5/8" x 3" Long                                                     | 100       |                 |
| 18       | 5/8" x 4" Long                                                     | 80        |                 |

|          |                                                                        |             |  |
|----------|------------------------------------------------------------------------|-------------|--|
| 19       | 5/8" x 6" Long                                                         | 10          |  |
| 20       | 3/4" x 2" Long                                                         | 20          |  |
| 21       | 3/4" x 2 1/2" Long                                                     | 100         |  |
| 22       | 3/4" x 3" Long                                                         | 150         |  |
| 23       | 3/4" x 5" Long                                                         | 10          |  |
| 24       | 3/4" x 6" Long                                                         | 10          |  |
| 25       | 1" x 4" Long                                                           | 20          |  |
| 26       | 1" x 5" Long                                                           | 10          |  |
| <b>B</b> | <b>M.S. Nut (BSW) Hexagonal head Superior quality</b>                  | <b>Kg</b>   |  |
| 1        | 3/8"                                                                   | 10          |  |
| 2        | 1/2"                                                                   | 150         |  |
| 3        | 5/8"                                                                   | 250         |  |
| 4        | 3/4"                                                                   | 100         |  |
| <b>C</b> | <b>M.S. Plain Washer Superior quality</b>                              | <b>Kg</b>   |  |
| 1        | Size: 1/4"                                                             | 8           |  |
| 2        | 3/8"                                                                   | 50          |  |
| 3        | 1/2"                                                                   | 50          |  |
| 4        | 5/8"                                                                   | 100         |  |
| 5        | 3/4"                                                                   | 50          |  |
| <b>D</b> | <b>M.S. Hexagonal Head bolt full thread(M M Size) Superior quality</b> | <b>Nos.</b> |  |
| 1        | Size: M 6 x 25mm LG                                                    | 70          |  |

|          |                                |             |  |
|----------|--------------------------------|-------------|--|
| 2        | Size: M 6 x 30mm LG            | 10          |  |
| 3        | M 8 x 25 mm LG                 | 100         |  |
| 4        | M 8 x 30 mm LG                 | 28          |  |
| 5        | M 8 X 35 mm LG                 | 28          |  |
| 6        | M 8 X 40 mm LG                 | 150         |  |
| 7        | M 8 X 50 mm LG                 | 45          |  |
| 8        | M 10 X 30 mm LG                | 60          |  |
| 9        | M 10 X 35 mm LG                | 80          |  |
| 10       | M 10 X 40 mm LG                | 10          |  |
| 11       | M 10 X 50 mm LG                | 70          |  |
| 12       | M 10 x 80 mm LG                | 10          |  |
| 13       | M 12 x 45 mm LG                | 20          |  |
| 14       | M 12 x 50 mm LG                | 100         |  |
| 15       | M 12 x 60 mm LG                | 70          |  |
| 16       | M 12 x 65 mm LG                | 100         |  |
| 17       | M 12 x 80 mm LG                | 40          |  |
| 18       | M 16 x 65 mm LG                | 20          |  |
| 19       | M 16 x 80 mm LG                | 20          |  |
| 20       | M 16 x 120 mm LG               | 20          |  |
| <b>E</b> | <b>M.S. Hexagonal Head Nut</b> | <b>Nos.</b> |  |
| 1        | Size: M 8                      | 200         |  |

|          |                               |             |  |
|----------|-------------------------------|-------------|--|
| 2        | M 10                          | 250         |  |
| 3        | M 12                          | 540         |  |
| 4        | M 16                          | 130         |  |
| <b>F</b> | <b>M.S. Stud</b>              | <b>Nos.</b> |  |
| 1        | M 10 x 50 mm LG               | 20          |  |
| 2        | M 10 x 65 mm LG               | 25          |  |
| 3        | M 10 x 80 mm LG               | 20          |  |
| 4        | M 12 x 50 mm LG               | 100         |  |
| 5        | M 12 x 65 mm LG               | 100         |  |
| 6        | M 12 x 70 mm LG               | 30          |  |
| 7        | M 12 x 80 mm LG               | 20          |  |
| 8        | M 12 x 100 mm LG              | 20          |  |
| 9        | M 12 x 125 mm LG              | 20          |  |
| 10       | M 16 x 65 mm LG               | 30          |  |
| 11       | M 16 x 75 mm LG               | 20          |  |
| 12       | M 20 x 90 mm LG               | 30          |  |
| 13       | M 20 x 65 mm LG               | 50          |  |
| <b>G</b> | <b>M.S. Stud (BSW Thread)</b> | <b>Nos.</b> |  |
| 1        | Size: 1/4" x 2" LG            | 10          |  |
| 2        | Size: 5/8" x 4" LG            | 10          |  |
| 3        | Size: 5/8" x 2.5" LG          | 100         |  |

|          |                                                          |              |  |
|----------|----------------------------------------------------------|--------------|--|
| 4        | 3/4" x 3" LG                                             | 15           |  |
| 5        | 3/4" x 5" LG                                             | 40           |  |
| <b>H</b> | <b>Spring Washer</b>                                     | <b>Nos.</b>  |  |
| 1        | Size: M 10                                               | 200          |  |
| 2        | M16                                                      | 80           |  |
| 3        | ½"                                                       | 8000         |  |
| <b>I</b> | <b>H.T. CSK allen key bolt M 12 X 25</b>                 | 1000<br>Nos. |  |
| <b>J</b> | <b>S.S. 304 Hexagonal Head Bolts (MM Size) Make: APL</b> | <b>Nos.</b>  |  |
| 1        | Size: M6 x 20 mm LG                                      | 320          |  |
| 2        | Size: M6 x 25 mm LG                                      | 50           |  |
| 3        | M8 x 30 mm LG                                            | 100          |  |
| 4        | M8 x 25 mm LG                                            | 20           |  |
| 5        | M8 x 12 mm LG                                            | 40           |  |
| 6        | M10 x 30 mm LG                                           | 200          |  |
| 7        | M10 x 65mm LG                                            | 20           |  |
| 8        | M10 x 125mm LG                                           | 20           |  |
| 9        | M10 x 200 mm LG                                          | 20           |  |
| 10       | M12 x 30 mm LG                                           | 500          |  |
| 13       | M12 x 80 mm LG                                           | 10           |  |
| 14       | M12 x 100 mm LG                                          | 20           |  |
| 15       | M16 x 125 mm LG                                          | 50           |  |

|          |                                                          |             |  |
|----------|----------------------------------------------------------|-------------|--|
| 16       | M20 x 60 mm LG                                           | 40          |  |
| 17       | M20 x 100 mm LG                                          | 25          |  |
| <b>K</b> | <b>S.S. 304 Grub Screw</b>                               | <b>Nos.</b> |  |
| 1        | Size: M16 x 20 mm LG                                     | 30          |  |
| <b>L</b> | <b>S.S. 304 Hexagonal Head Nut (MM Size) Make: APL</b>   | <b>Nos.</b> |  |
| 1        | M 6                                                      | 100         |  |
| 2        | M 8                                                      | 50          |  |
| 3        | M 10                                                     | 200         |  |
| 4        | M 12                                                     | 260         |  |
| 5        | M 16                                                     | 60          |  |
| 6        | M 20                                                     | 50          |  |
| <b>M</b> | <b>S.S. 304 Hexagonal Head Bolt (BSW Size) Make: APL</b> | <b>Nos.</b> |  |
| 1        | Size: 1/2" x 4" LG                                       | 30          |  |
| 2        | 3/8" x 2 1/2" LG                                         | 20          |  |
| <b>N</b> | <b>S.S 304 Hexagonal Head Nut (BSW Size) Make: APL</b>   | <b>Nos.</b> |  |
| 1        | 3/8"                                                     | 40          |  |
| 2        | 1/2"                                                     | 50          |  |
| <b>O</b> | <b>S.S. 304 Allen Bolt</b>                               | <b>Nos.</b> |  |
| 1        | M12 x 30 mm LG                                           | 50          |  |
| 2        | M12 x 35 mm LG                                           | 50          |  |
| 3        | M12 x 40 mm LG                                           | 20          |  |
| 4        | M12 x 90 mm LG                                           | 10          |  |

|          |                                                        |             |  |
|----------|--------------------------------------------------------|-------------|--|
| 5        | M20 x 60 mm LG                                         | 30          |  |
| <b>P</b> | <b>High Tensile Hexagonal Head Bolts Make: Unbrako</b> | <b>Nos.</b> |  |
| 1        | M8 x 30 mm LG                                          | 40          |  |
| 2        | M10 x 40 mm LG                                         | 70          |  |
| 3        | M10 x 50 mm LG                                         | 50          |  |
| 4        | M12 x 25 mm LG                                         | 10          |  |
| 5        | M12 x 30 mm LG                                         | 100         |  |
| 6        | M12 x 35 mm LG                                         | 100         |  |
| 7        | M12 x 40 mm LG                                         | 50          |  |
| 8        | M12 x 50 mm LG                                         | 50          |  |
| 9        | M12 x 80 mm LG                                         | 40          |  |
| 10       | M12x 100 mm LG                                         | 10          |  |
| 11       | M16x 185 mm LG                                         | 20          |  |
| 12       | M20x 60 mm LG                                          | 10          |  |
| 13       | M20x 65 mm LG                                          | 20          |  |
| 14       | M20x 100 mm LG                                         | 20          |  |
| 15       | M30x 90 mm LG                                          | 150         |  |
| <b>Q</b> | <b>High Tensile Stud<br/>Make: Unbrako</b>             | <b>Nos.</b> |  |
| 1        | Size: M16 x 75 mm LG                                   | 40          |  |
| 2        | M20 x 75 mm LG                                         | 30          |  |
| 3        | BSW 3/4" x 5" LG                                       | 10          |  |
| <b>R</b> | <b>High Tensile Hexagonal Head Nut</b>                 | <b>Nos.</b> |  |

|          |                                                               |             |  |
|----------|---------------------------------------------------------------|-------------|--|
| 1        | M8                                                            | 30          |  |
| 2        | M10                                                           | 50          |  |
| 3        | M12                                                           | 100         |  |
| 4        | M16                                                           | 100         |  |
| 5        | M20                                                           | 60          |  |
| <b>S</b> | <b>High Tensile Hexagonal Head Bolt Make: Unbrako</b>         | <b>Nos.</b> |  |
| 1        | BSW 3/8" x 1" LG                                              | 30          |  |
| 2        | BSW 5/16 x 1¼" LG                                             | 10          |  |
| 3        | BSW 5/8 x 1½" LG                                              | 10          |  |
| 4        | BSW 1 x 5½" LG                                                | 150         |  |
| <b>T</b> | <b>High Tensile Allen Bolt Make: Unbrako</b>                  | <b>Nos.</b> |  |
| 1        | Size: BSW 1/2" x 1" LG                                        | 30          |  |
| <b>U</b> | <b>H.T. HEX HEAD BOLT GRADE-10.9 Full Thread Make-UNBRAKO</b> | <b>Nos.</b> |  |
| 1        | M8 x 300mm Grade-10.9 Full Thread                             | 5           |  |
| 2        | Size=3/4" x 3.5" Grade-10.9 Full Thread                       | 20          |  |
| <b>V</b> | <b>H.T. STUD Grade-10.9 Full Thread Make-UNBRAKO</b>          | <b>Nos.</b> |  |
| 1        | M12 x 300mm Grade-10.9 Full Thread                            | 10          |  |
| 2        | M10 x 300mm Grade-10.9 Full Thread                            | 10          |  |
| 3        | M16 x 90mm Grade-10.9 Full Thread                             | 10          |  |
| 4        | Size=3/8" x 12" Grade-10.9 Full Thread                        | 10          |  |
| 5        | Size=1/2" x 12" Grade-10.9 Full Thread                        | 10          |  |

|           |                                                                                                              |             |  |
|-----------|--------------------------------------------------------------------------------------------------------------|-------------|--|
| 6         | Size=5/8" x 12" Grade-10.9 Full Thread                                                                       | 10          |  |
| 7         | Size=7/8" x 7" Grade-10.9 Full Thread                                                                        | 20          |  |
| <b>W</b>  | <b>H.T. HEX NUT Grade-10.9 Make-UNBRAKO</b>                                                                  | <b>Nos.</b> |  |
| 1         | Size=3/8"                                                                                                    | 40          |  |
| 2         | Size=1/2"                                                                                                    | 30          |  |
| 3         | Size=5/8"                                                                                                    | 10          |  |
| 4         | Size=3/4"                                                                                                    | 40          |  |
| 5         | Size=7/8"                                                                                                    | 40          |  |
| <b>X</b>  | <b>NYLOCK NUT</b>                                                                                            | <b>Nos.</b> |  |
| 1         | BSW 1/2"                                                                                                     | 9000        |  |
| 2         | BSW 1"                                                                                                       | 150         |  |
| <b>Y</b>  | <b>S.S. U-BOLT Material- SS 304</b>                                                                          | <b>Nos.</b> |  |
| 1         | SIZE=1¼" (Nominal Pipe Size) , Between Centre= 54mm, Thread Size= 10mm , Depth of U= 67mm,Thread Length=30mm | 50          |  |
| <b>Z</b>  | <b>M.S. Split Pin</b>                                                                                        | <b>Nos.</b> |  |
| 1         | Size: ¼" X 2" Long                                                                                           | 2000        |  |
| 2         | Size: 5/16" X 2" Long                                                                                        | 2000        |  |
| <b>AA</b> | <b>Split Pin (SS-202)</b>                                                                                    | <b>Nos.</b> |  |
| 1         | Size: ¼" X 2" Long                                                                                           | 3000        |  |
| <b>BB</b> | <b>CSK MS Bolt</b>                                                                                           | <b>Nos.</b> |  |
| 1         | Size= 3/4" x 7" Long BSW                                                                                     | 30          |  |

|    |                           |    |  |
|----|---------------------------|----|--|
| CC | M.S. Rivet                | Kg |  |
| 1  | Size= Dia. 12 x 30mm Long | 5  |  |

**Terms & Conditions:-**

- 1) Payment terms:-
  - a) For material supply: 30 days after receipt of material subjected to quality approved.
  - b) For job work: 30 days after submission of verified bills subjected to satisfactory completion of work.
- 2) Price will be FOR Naraingarh Sugar Mills Ltd.
- 3) Packing & forwarding charges: - In the scope of supplier / Contractor.
- 4) Please mention the time period of material delivery / job completion in given space under:-**


---
- 5) SGST/CGST/UGST/IGST will be extra as applicable as per norms (Our GST No.06AAACN0454G1ZV).
- 6) TDS to be deducted as per GST Rules (if applicable).
- 7) It will be mandatory condition, that no employee/his family member / relative can take participate directly or indirectly in BID.
- 8) Presence of BIDDER by self in case of proprietor/ Partner or Authorized person with authority letter in case of partnership/Co. is necessary at the time of opening of tender is must.
- 9) **Liquidated Damages:** Time is the essence of this supply / job. Hence, you shall strictly adhere to the delivery of material / completion of job. You are liable to pay liquidated damages towards late delivery of the material / late completion of job at the rate of 2% of the value of the order for subject supply / job for the delay of every one week subject to the maximum limit of 10% of the value of the Order.
- 10) If at all L-1 party refuses to undertake the job, then purchase committee shall have the right to award the order to second lowest party on the finalized rates in the interest of the Mills.
- 11) Board/Management of the Mills shall have the right to negotiate with other participants also if quoted rates of L-1, L-2 & L-3 party do not seem to be reasonable upto the marks in the interest of the Mills.

- 12) Rates are to be quoted on the basis of above said terms & conditions.
- 13) Conditional tender will not be accepted.
- 14) The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason.

**Note: Only Pre-qualification / Technical bid will be open by our technical team for discussion. Parties are invited on opening of commercial bid on dated 08.07.25 at 11:00 AM.**

\_\_\_\_\_  
**Signature of the party with seal**

**Name of the party:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact No.** \_\_\_\_\_