## NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

**Detailed Notice Inviting Tender** 

| Sr.<br>No. | Description of items / jobs                     |          |                   | Expiry Date & Time<br>of Bid Preparation<br>& Submission |
|------------|---|----------|-------------------|--|
|            | Supply of round bar, square shaft, spring steel | 18,000/- | 23.06.25 at 03:00 | 05.07.25 upto  |
|            | flats, SS sheet and clamps                      |          | PM                | 03:00 PM   |
| 2.         | Supply of IBR material                          | 25,000/- |                   |  |
|            |   |          |                   |  |

Tender is invited for below mentioned items / jobs:-

Under this process, the Pre-qualification / Technical bid Application as well as Commercial Bid are invited at single stage under two covers i.e. Pre-qualification / Technical & Commercial Envelope. Eligibility and qualification of the Applicant will be first examined based on the details submitted under first envelope (Pre-qualification / Technical) with respect to eligibility and qualification criteria prescribed in this Tender document. The Commercial bid under the second envelope shall be opened for only those Applicants whose Pre-qualification / Technical bid Applications are responsive to eligibility and qualifications requirements as per Tender document.

• **Earnest Money:** The party will deposit the earnest money (mentioned above in table) by RTGS/NEFT before expiry date. The tender will not be accepted without earnest money.

Bank details for Earnest Money:
Name: Naraingarh Sugar Mills Ltd.
Bank A/c No. 913020056279987
Bank Name: Axis Bank Ltd.
Branch Name: Banaundi BNU HR, Banaundi-134202
IFSC Code: UTIB0002249

**Note:** The bids shall be submitted in two separate envelopes.

Signature of the party with seal

•

Name of the party: \_\_\_\_\_

Contact No. \_\_\_\_\_

# • Envelope 1: Pre-Qualification / Technical Bid

| Sr.<br>No. | Description                                    | Quantity |
|------------|--|----------|
| А          | Round bar, square shaft & spring steel flat    |          |
| 1          | EN - 8 Round Bar:- 100 mm OD                   | 0.185 MT |
| 2          | EN - 8 Round Bar:- 80 mm OD                    | 0.237 MT |
| 3          | EN - 8 Round Bar:- 60 mm OD                    | 0.266MT  |
| 4          | EN - 8 Round Bar:-50 mm OD                     | 0.185MT  |
| 5          | EN - 8 Round Bar:-40 mm OD                     | 0.118MT  |
| 6          | EN - 8 Round Bar:-25 mm OD                     | 0.092MT  |
| 7          | EN - 8 Round Bar:-20 mm OD                     | 0.060MT  |
| 8          | EN - 9 Square Shaft 3" x 4 mtr 2Nos            | 0.037MT  |
| 9          | EN - 9 Square Shaft 20mm square                | 0.19MT   |
| 10         | EN - 9 Square Shaft 14mm square                | 0.019MT  |
| 11         | EN - 9 Square Shaft 12mm square                | 0.014MT  |
| 12         | Spring Steel Flat EN - 45 Size:- 65 mm x 8 mm  | 2 MT     |
| 13         | Spring Steel Flat EN - 45 Size:- 65 mm x 10 mm | 0.2 MT   |
| 14         | Spring Steel Flat EN - 45 Size:- 50 mm x 6 mm  | 0.02MT   |
| 15         | S.S 410 Round bar 40mm                         | 0.118MT  |
| 16         | S.S 410 Round bar 20mm                         | 0.118MT  |
| В          | SS SHEET : SS-304                              |          |
| 1          | Size= 500*1000mm Thk.=1mm (01 no.)             | 04 KG    |
| 2          | Size= 1250*2500mm Thk.=2mm (4nos.)             | 200 KG   |

| С  | SS U-CLAMP : SS-304  |          |
|----|--|----------|
| 1  | Size= 2"   | 100 Nos. |
| D  | IBR VALVES (All Make-KSB, BHEL) with IBR Test Certificates   |          |
| D1 | CLASS: 800 GATE VALVE SOCKET WELD TYPE<br>Forged Carbon Steel ASTM A-105 Trim: CR-13   |          |
| 1  | SIZE= 1" NB  | 04 Nos.  |
| 2  | SIZE= <b>1</b> ½ " NB  | 01 Nos.  |
| D2 | CLASS: 600 GATE VALVE FLANGED END TYPE<br>Forged Carbon Steel ASTM A-105 Trim: CR-13   |          |
| 1  | SIZE= 3 " NB   | 02 Nos.  |
| E  | IBR PIPE ELBOW SEAMLESS MOC: ASTM A-335 Gr.P22 (Make-TATA, JINDAL)<br>with IBR Test certificates   |          |
| 1  | SIZE= 25 NB RIGHT ANGLE (SHORT) SCH. 80  | 04 Nos.  |
| 2  | SIZE= 40 NB RIGHT ANGLE (SHORT) SCH. 80  | 02 Nos.  |
| 3  | SIZE= 50 NB RIGHT ANGLE (SHORT) SCH. 80  | 02 Nos.  |
| F  | IBR PIPE SEAMLESS ,MOC-ASTM A-106 Gr.B (MAKE-TATA, JINDAL ) WITH IBR<br>Test certificate   |          |
| 1  | SIZE= 15 NB SEAMLESS ,SCH.80   | 12 Mtrs. |
| 2  | SIZE=20 NB, SEAMLESS,SCH.80  | 12 Mtrs. |
| 3  | SIZE= 40 NB SEAMLESS ,SCH.80   | 12 Mtrs. |
| 4  | SIZE =50 NB,SEAMLESS,SCH.80  | 12 Mtrs. |
| 5  | SIZE =150 NB,SEAMLESS,SCH.80   | 12 Mtrs. |
| 6  | SIZE =200 NB,SEAMLESS,SCH.80   | 06 Mtrs. |
| 7  | SIZE= 75 NB SEAMLESS ,SCH.80 (each length= 12 ft)  | 06 Nos.  |
| G  | LEVEL GAUGE (Make-Klinger, Hi-Tech, Narvik-Yarway) with IBR Test<br>Certificates   |          |
| 1  | <u>Bi-Colour Level Gauge Flanged End</u><br>Location=Steam Drum, Max. Pressure=180 kg/cm2<br>Max. Temperature= 350 °C<br>Centre to Centre Distance=500mm | 01 No.   |
|    | Flange PCD= 89mm , Flange size=1" #300   |          |

#### • Bid shall be accepted on the basis of above mentioned specifications.

The bidders shall submit the required eligibility documents in the Pre-qualification / Technical Bid having following documents.

# Information /documents to be attached by the tenderers with the Pre-qualification / Technical Bid where ever is applicable.

- 1) Copy of latest three year purchase / work order of firms / companies for the same type of materials /Jobs.
- Certificate of authorized dealership of particular material, if party is authorized.
   (For supplier only)
- 3) Certificate from the proprietor/partner/firm authorizing firm's representative to sign/participate in opening and negotiation of the tender (signature duly attested).
- 4) Copy of Sales Tax/GST registration number.
- 5) Copy of PAN Card.
- The information i.e. Firm/Company Name, Complete Address, Contact person, Mobile No. & email ID to be attached.
- 7) EMD or RTGS/NEFT details.

In case of Non-attachment of the above (wherever is applicable) this bid shall be rejected.

#### **Declaration:-**

We declare that we have put up the commercial bid as per format & no change in conditions has been mentioned, the conditions mentioned there in are acceptable to us.

Please tick

Signature of the party with seal

| Address: |  |
|----------|--|
|          |  |
|          |  |

Contact No. \_\_\_\_\_

### NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

### • Envelope 2: Commercial Bid

The bidders shall quote the prices in Commercial bid format under (COMMERCIAL BID TO BE SUBMIT)

| Sr.<br>No. | Description                                    | Quantity | Unit Rates INR. |
|------------|--|----------|-----------------|
| A          | Round bar, square shaft & spring steel flat    |          |                 |
| 1          | EN - 8 Round Bar:- 100 mm OD                   | 0.185 MT |                 |
| 2          | EN - 8 Round Bar:- 80 mm OD                    | 0.237 MT |                 |
| 3          | EN - 8 Round Bar:- 60 mm OD                    | 0.266MT  |                 |
| 4          | EN - 8 Round Bar:-50 mm OD                     | 0.185MT  |                 |
| 5          | EN - 8 Round Bar:-40 mm OD                     | 0.118MT  |                 |
| 6          | EN - 8 Round Bar:-25 mm OD                     | 0.092MT  |                 |
| 7          | EN - 8 Round Bar:-20 mm OD                     | 0.060MT  |                 |
| 8          | EN - 9 Square Shaft 3" x 4 mtr 2Nos            | 0.037MT  |                 |
| 9          | EN - 9 Square Shaft 20mm square                | 0.19MT   |                 |
| 10         | EN - 9 Square Shaft 14mm square                | 0.019MT  |                 |
| 11         | EN - 9 Square Shaft 12mm square                | 0.014MT  |                 |
| 12         | Spring Steel Flat EN - 45 Size:- 65 mm x 8 mm  | 2 MT     |                 |
| 13         | Spring Steel Flat EN - 45 Size:- 65 mm x 10 mm | 0.2 MT   |                 |
| 14         | Spring Steel Flat EN - 45 Size:- 50 mm x 6 mm  | 0.02MT   |                 |
| 15         | S.S 410 Round bar 40mm                         | 0.118MT  |                 |

| 16 | S.S 410 Round bar 20mm  | 0.118MT  |  |
|----|---|----------|--|
| В  | SS SHEET : SS-304   |          |  |
| 1  | Size= 500*1000mm Thk.=1mm (01 no.)  | 04 KG    |  |
| 2  | Size= 1250*2500mm Thk.=2mm (4nos.)  | 200 KG   |  |
| С  | SS U-CLAMP : SS-304   |          |  |
| 1  | Size= 2"  | 100 Nos. |  |
| D  | IBR VALVES (All Make-KSB,BHEL) with IBR Test Certificates                                       |          |  |
| D1 | CLASS: 800 GATE VALVE SOCKET WELD TYPE<br>Forged Carbon Steel ASTM A-105 Trim: CR-13            |          |  |
| 1  | SIZE= <b>1</b> " NB   | 04 Nos.  |  |
| 2  | SIZE= <b>1</b> ½ " NB   | 01 Nos.  |  |
| D2 | CLASS: 600 GATE VALVE FLANGED END TYPE<br>Forged Carbon Steel ASTM A-105 Trim: CR-13            |          |  |
| 1  | SIZE= 3 " NB  | 02 Nos.  |  |
| E  | IBR PIPE ELBOW SEAMLESS MOC: ASTM A-335 Gr.P22<br>(Make-TATA,JINDAL) with IBR Test certificates |          |  |
| 1  | SIZE= 25 NB RIGHT ANGLE (SHORT) SCH. 80   | 04 Nos.  |  |
| 2  | SIZE= 40 NB RIGHT ANGLE (SHORT) SCH. 80   | 02 Nos.  |  |
| 3  | SIZE= 50 NB RIGHT ANGLE (SHORT) SCH. 80   | 02 Nos.  |  |
| F  | IBR PIPE SEAMLESS ,MOC-ASTM A-106 Gr.B (MAKE-TATA,<br>JINDAL ) WITH IBR Test certificate        |          |  |
| 1  | SIZE= 15 NB SEAMLESS ,SCH.80  | 12 Mtrs. |  |
| 2  | SIZE=20 NB, SEAMLESS,SCH.80   | 12 Mtrs. |  |
| 3  | SIZE= 40 NB SEAMLESS ,SCH.80  | 12 Mtrs. |  |

| 4 | SIZE =50 NB,SEAMLESS,SCH.80                             | 12 Mtrs. |  |
|---|---|----------|--|
|   |   |          |  |
| 5 | SIZE =150 NB,SEAMLESS,SCH.80                            | 12 Mtrs. |  |
|   |   |          |  |
| 6 | SIZE =200 NB,SEAMLESS,SCH.80                            | 06 Mtrs. |  |
|   |   |          |  |
| 7 | SIZE= 75 NB SEAMLESS ,SCH.80 (each length= 12 ft)       | 06 Nos.  |  |
| G | LEVEL GAUGE (Make-Klinger, Hi-Tech, Narvik-Yarway) with |          |  |
|   | IBR Test Certificates                                   |          |  |
| 1 | Bi-Colour Level Gauge Flanged End                       |          |  |
|   | Location=Steam Drum, Max. Pressure=180 kg/cm2           |          |  |
|   | Max. Temperature= 350 °C                                |          |  |
|   | Centre to Centre Distance=500mm                         |          |  |
|   | Flange PCD= 89mm , Flange size=1" #300                  | 01 No.   |  |

#### Terms & Conditions:-

1) Payment terms:-

a) For material supply: 30 days after receipt of material subjected to quality approved.

b) For job work: 30 days after submission of verified bills subjected to satisfactory completion of work.

- 2) Price will be FOR Naraingarh Sugar Mills Ltd.
- 3) Packing & forwarding charges: In the scope of supplier / Contractor.
- 4) Please mention the time period of material delivery / job completion in given space under:-
- 5) SGST/CGST/UGST/IGST will be extra as applicable as per norms (Our GST No.06AAACN0454G1ZV).
- 6) TDS to be deducted as per GST Rules (if applicable).
- It will be mandatory condition, that no employee/his family member / relative can take participate directly or indirectly in BID.
- 8) Presence of BIDDER by self in case of proprietor/ Partner or Authorized person with authority letter in case of partnership/Co. is necessary at the time of opening of tender is must.
- 9) Liquidated Damages: Time is the essence of this supply / job. Hence, you shall strictly adhere to the delivery of material / completion of job. You are liable to pay liquidated damages towards late delivery of the material / late completion of job at the rate of 2% of the value of

the order for subject supply / job for the delay of every one week subject to the maximum limit of 10% of the value of the Order.

- 10) If at all L-1 party refuses to undertake the job, then purchase committee shall have the right to award the order to second lowest party on the finalized rates in the interest of the Mills.
- 11) Board/Management of the Mills shall have the right to negotiate with other participants also if quoted rates of L-1, L-2 & L-3 party do not seem to be reasonable upto the marks in the interest of the Mills.
- 12) Rates are to be quoted on the basis of above said terms & conditions.
- 13) Conditional tender will not be accepted.
- 14) The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason.

Note: Only Pre-qualification / Technical bid will be open by our technical team for discussion. Parties are invited on opening of commercial bid on dated 08.07.25 at 11:00 AM.

Signature of the party with seal

Name of the party: \_\_\_\_\_

| Address: |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|
|          |  |  |  |  |  |  |

Contact No. \_\_\_\_\_